

CONTENT

GEBERIT ACTUATOR PLATES OVERVIEW What you see is what you get. The Geberit actuators are the only part of the concealed cisterns that you see and touch several times a day. Find the applications and an overview.	0
INTRODUCTION TO THE GEBERIT CONCEALED CISTERNS There is a long history behind the Geberit concealed cisterns. Find out more about the background and the advantages.	1
GEBERIT SIGMA CISTERNS Geberit Sigma cisterns are providing a lot of possibilities for high-class design in your bathroom.	1
GEBERIT OMEGA CISTERNS Geberit Omega cisterns offer solutions for low height applications.	2
GEBERIT ALPHA CISTERNS Geberit Alpha cisterns are the latest members of the family.	2
THE PERFECT MATCH Recommendations for your bathroom	3
TECHNICAL INFORMATION When do you install which cistern?	3
OVERVIEW OF ALL CISTERNS	3

GEBERIT ACTUATORS FOR EVERY APPLICATION TRIGGER POINTS

The Geberit actuator plates not only come in a large variety of designs, but also for every application. Be it at home, in a semipublic place like a hospital, or in a public place with a high traffic like e.g. an airport: there is an actuator plate for every requirement.



FEEL AT HOME

For the bathroom at home all options are available: there is a vast variety of designs to choose from, single flush, dual flush or stop-and-go flush. Even touchless solutions might be interesting, aspects of hygienic requirements are depending on your needs and bathroom covered.



SEMI-PUBLIC SOLUTIONS

For hotels, restaurants or hospitals there are a lot of touchless actuators available that even offer a dual flush system, helping you saving water. Of course all




HIGH-TRAFFIC PUBLIC PLACES

If you run a public toilet at a train station, an airport or in a night-club, you go for the vandal-proof actuators made of stainless steel. The infrared steered actuators that offer a single flush, cleaning automatically after every use, should also be in the centre of attention.













→ 115.770.11.5 (plastic) white alpine

→ 115.770.21.5 (plastic) bright chrome-plated



→ 115.770.KA.5 (plastic) bright chrome/matt chrome





special brass (colour)

→ 115.770.JQ.5 (plastic) matt chrome***

→ 115.770.LA.5 (plastic) white/yellow/green

→ 115.770.LB.5 (plastic)

 Stop-and-go flush 246 mm x 164 mm

→ 115.751.00.1 * stainless steel brushed

Stop-and-go flush

• 246 mm x 164 mm

→ 115.758.K.J.5 (plastic)

white/bright chrome

→ 115.758.JT.5 (plastic) white matt/bright chr***



white/gold-plated

matt chrome-plated



→ 115.758.KL.5 (plastic) white/matt chrome



bright chrome/matt chr

→ 115.758.KN.5 (plastic) matt chrome/bright chr

→ 115.758.JQ.5 (plastic) matt chrome/bright chr***



→ 115.758.KM.5 (plastic) black/bright chrome

→ 115.758.14.5 (plastic) white/blue/red black matt/bright chr***



→ 115.758.SN.5 * (stainless steel) stainless steel brushed/pol/br



→ 115.890.SN.5 ** (stainless steel) stainless steel brushed/pol/br

SIGMA10 IR

· Touchless, electronic

→ 115.907.K.J.1 (plastic)

white/bright chrome

white/gold-plated

• 246 mm x 164 mm

• 246 mm x 164 mm



→ 115.907.KK.1 (plastic)



white/bright chrome



→ 115.907.KL.1 (plastic) white/matt chrome white/gold-plated



→ 115.907.KH.1 (plastic) bright chrome/matt chr white/matt chrome



matt chrome/bright chr

→ 115.907.KN.1 (plastic)



black/bright chrome

 \rightarrow 115.907.SN.1 (stainless steel) \rightarrow 115.882.JQ.1 (plastic) stainless steel brushed/pol/br matt chr/bright chr***



→ 115.906.SN.1 * (stainless steel) → 115.882.KM.1 (plastic)



→ 115.882.14.1 (plastic) black matt/bright chr***





Dual flush



→ 115.882.11.1 (plastic white/white gloss

white matt/white***





→ 115.882.16.1 (plastic)





→ 115.882.KN.1 (plastic) matt chrome/bright chr









→ 115.882.SN.1 (stainless steel) → 115.889.SN.1 * (stainless steel) stainless steel brushed/pol/br



visit our actuator plate configurator at → www.international.geberit.com/showroom

Learn more about the Geberit product range and

 Dual flush 246 mm x 164 mm

SIGMA21







black walnut

→ 115.884.JM.1 (slate)

→ 115.884.SJ.1 (glass)

customisable surface

SIGMA30

Dual flush

246 mm x 164 mm

→ 115.883.KJ.1 (plastic)

→ 115.883.JT.1 (plastic)

→ 115.883.KK.1 (plastic)

→ 115.883.KL.1 (plastic)

white/matt chr/matt chr

white/gold-plated


white matt/bright chr***

white/bright chrome

mustang slate

00





→ 115.650.Sl.1 (glass)

→ 115.650.JV.1 (concrete)

red gold/concrete****

→ 115.883.KH.1 (plastic)

→ 115.883.KN.1 (plastic)

→ 115.883.JQ.1 (plastic)

matt chr/bright chr***

→ 115.883.KM.1 (plastic)

→ 115.883.14.1 (plastic)

black matt/bright chr ***

black/bright chrome

matt chr/bright chr

bright chr/matt chr

red gold/white











→ 115.883.11.1 (plastic)

→ 115.883.01.1 (plastic)

→ 115.883.16.1 (plastic)

white/white matt/white ***

white/white gloss/white

→ 115.651.SI.1 (glass)

→ 115.651.JV.1 (concrete)

black chr/concrete****

→ 115.651.JX.1 (wood)

black chr/black walnut****

black chr/white





SIGMA30

→ 115.652.SI.1 (glass)

→ 115.652.JV.1 (concrete)

brass/concrete***

→ 115.652.JX.1 (wood)

→ 115.652.JM.1 (slate)

brass/mustang slate****

→ 115.652.SJ.1 (glass)

brass/black

brass/black walnut****

brass/white





























 Dual flush • 246 mm x 164 mm





→ 115.788.GH.2 (brass)

SIGMA60

Dual flush

• 221 mm x 139 mm

→ 115.640.SI.1

→ 115.640.JL.1

→ 115.640.JK.1 (die-cast zinc, glass)

sand grey

(die-cast zinc, glass)

white glass

(die-cast zinc, glass)

· Even with the surface

chr-plated/brushed chrome



00

sand grey

→ 115.884.JL.1 (glass)









→ 115.788.11.2 (plastic)

→ 115.788.JV.2 (concrete)

chrome/concrete****

chrome/white



surface

→ 115 640 S.11

black glass

→ 115.640.GH.1

(die-cast zinc)

brushed chrome

(die-cast zinc, glass)



→ 115.670.11.2 (plastic)

→ 115.670.JV.2 (concrete)

red gold/concrete***

→ 115.670.JX.2 (wood)

→ 115.670.JM.2 (slate)

→ 115.670.DW.2 (plastic)

red gold/black

SIGMA70

Dual flush, hydrolifter

• 240 mm x 158 mm

→ 115.620.SI.1 (glass)

→ 115.625.SI.1 (glass)

→ 115.625.JK.1 (glass)

white glass

Soft-touch

redgold/black walnut ****

red gold/white







→ 115.671.11.2 (plastic)

→ 115.671.JV.2 (concrete)

black chrome/concrete**

→ 115.671.JX.2 (wood)

→ 115.671.JM.2 (slate)

→ 115.671.DW.2 (plastic)


black chrome/black

black chr/mustang slate ****


black chrome/white







black chrome/black walnut **** brass/black walnut ****



SIGMA80

• 247 mm x 164 mm

→ 116.090.SG.1 (glass)

Illuminated

brass/black

brass/white

→ 115.672.11.2 (plastic)

→ 115.672.JV.2 (concrete)

brass/concrete***

→ 115.672.JX.2 (wood)

→ 115.672.JM.2 (slate)

brass/mustang slate ****

→ 115.672.DW.2 (plastic)



· Dual flush, touchless, electronic









OMEGA30

Dual flush

212 mm x 142 mm






















OMEGA60

Dual flush

→ 115.081.JK.1

→ 115.081.SJ.1

black glass

(die-cast zinc, glass)

(die-cast zinc, glass)







ALPHA01

Dual flush

bright chrome

matt chrome

ALPHA10

white alpine

→ 115.040.21.1 (plastic)

→ 115.040.46.1 (plastic)

bright chrome

→ 115.035.46.1 (plastic)

• 213 mm x 142 mm





→ 115.045.21.1 (plastic)

ALPHA15


bright chrome → 115.035.21.1 (plastic)











→ 115.055.46.1 (plastic)











	front actuation	top actuation	touchless actuators	soft-touch actuation	customised surface	dual flush	stop-and-go flush	metal	glass	plastic	natural surfaces	matt black / white	vandal-resistant opti	illuminated buttons	odour extraction	easy-to-clean coated
Geberit Sigma actuators	×		×	×	×	×	×	×	×	×	x	×	×	×	×	×
Geberit Omega actuators	×	×				×		×	×	×						×
Geberit Alpha	V					l v				×						

For Sigma concealed cistern 12 cm For Sigma concealed cistern 12 cm For Sigma concealed cistern 12 cm

reflective glass

For Sigma concealed cistern 8 cm For Sigma concealed cistern 8 cm For Sigma concealed cistern 8 cm

→ 115.620.JK.1 (glass) → 115.620.JL.1 (glass) For Sigma concealed cistern 8 cm
For Sigma concealed cistern 8 cm → 115.625.JL.1 (glass)

→ 115.620.SJ.1 (glass)

→ 115.625.SJ.1 (glass)

→ 115.085.KN.1 (plastic) matt chr/bright chr



OMEGA20

Dual flush

212 mm x 142 mm

→ 115.085.KJ.1 (plastic)

white/bright chrome

→ 115.085.KK.1 (plastic)

→ 115.085.KL.1 (plastic)

white/matt chrome/matt

→ 115.085.KH.1 (plastic)

bright chr/matt chr

white/gold-plated

00

chrome

















	front actuation	top actuation	touchless actuator	soft-touch actuatio	customised surface	dual flush	stop-and-go flush	metal	glass	plastic	natural surfaces	matt black / white	vandal-resistant op	illuminated buttons	odour extraction	easy-to-clean coat
Geberit Sigma actuators	×		×	×	×	×	×	×	×	×	х	×	×	×	×	×
Geberit Omega actuators	×	×				×		×	×	×						×
Geberit Alpha actuators	×					×				×						

*** easy-to-clean coated

**** The colour and structure of natural products may vary

** vandal-resistant, with electronic dual flush and manual override

* vandal-resistant, screwable

sand grev

 \rightarrow 115.625.FW.1 (stainless steel) \rightarrow 115.625.00.1 brushed chrome *** customisable surface

→ 115.620.FW.1 (stainless steel) → 115.620.00.1

For Sigma concealed cistern 12 cm
For Sigma concealed cistern 12 cm

→ 116.092.SM.1 (glass)

For Sigma concealed cistern 12 cm For Sigma concealed cistern 12 cm For Sigma concealed cistern 12 cm For Sigma concealed cistern 8 cm For Sigma concealed cistern 8 cm For Sigma concealed cistern 8 cm

→ 116.092.SG.1 (glass) black glass

→ 116.090.SM.1 (glass)



matt chrome



ALPHA50

→ 115.060.DW.1 (plastic)

→ 115.060.11.1 (plastic)



GEBERIT CONCEALED SOLUTIONS

THE TRADITION OF HIDING CISTERNS

In solid and drywall construction, the Geberit concealed cistern is the heart of more than 70 million concealed installations in the bathroom or WC. Every detail of this product is ingenious and has been proven a million times over. Plumbers and endusers have trusted the one-piece leak-proof cisterns from Geberit for more than 55 years.







The Geberit concealed cisterns have been installed worldwide, more than 70 million times



BEAUTIFUL DESIGN
A concealed solution with a wall-hung WC and beautiful actuator plates offers a lot of design options for your bathroom.



INNOVATIVE AND FUNCTIONAL DESIGN
Actuator plates are available in an easy-to-clean
coated option, in a vandal-proof, screwable version and almost all Sigma actuator plates can be combined with an odour extraction unit.



WITHSTANDING HEAVY LOAD
The Geberit wall-hung solutions are designed and tested to withstand weights of 400 kg.



The water consumption can be sustainably reduced with a Geberit dual flush actuation for



OPENING SPACE
As soon as the sanitary technology hides behind the wall, a new feeling of space is created. A wall-hung solution offers more freedom in your



EASY TO CLEAN
The fewer edges, joints and corners, the simpler



PREMIUM QUALITY
All products from Geberit are known for their very high reliability and durability. Proven Swiss technology for decades.



LEAKPROOF

Every single cistern one-piece blow-mould and is tested on its leak-tightness before it is leaving



Geberit guarantees 25 years spare parts availability.



Easy planning with Geberit BIM data and ProPlanner. Recognising older products with the Pro App and directly ordering spare parts.



INSTALLATION SYSTEMS
Available for all Geberit installation systems:



ELECTRIC CONNECTION
The cisterns are prepared for a hidden or visible electric connection in case you want to



GEBERIT AQUACLEAN SHOWER TOILETS
Perfectly prepared for the installation of
Geberit shower toilets with innovative comfort-



HYDRAULIC KNOW-HOW Optimised hydraulics for a perfect wash-out of

Geberit WC ceramics, with water-saving



REASONS FOR WALL-HUNG CONCEALED SOLUTIONS

THE CONCEALED ADVANTAGES




SUSTAINABLE

A wall-hung solution needs much less cleaning agent than a floor-standing toilet. You are saving money and you are protecting the environment.



HYGIENIC

A floor-standing toilet with an exposed cistern offers much more space that has to be cleaned than a wall-hung concealed solution. The latter has far less corners or edges where dirt, dust and hair can get stuck. Germs have nowhere to hide





TIME-SAVING

More hygienic does not mean that you need more time for cleaning the bathroom. On the contrary: with a wall-hung solution you clean the toilet much faster.



CONCLUSION

Saving material and time for cleaning means: you save money. Especially in public and semi-public areas like hotels or office buildings this is important.

GEBERIT SIGMA CISTERNS


TOUCHING DESIGN

STYLISH CALLING CARDS

The Geberit Sigma concealed cisterns not only offer numerous installation possibilities, but also the widest range of stylish actuator plates. Be it for single flush, dual flush or stop-and-go flush, mechanical, pneumatic, hydraulic or touchless actuation.








Sigma80 black glass (art.no. 116.090.SG.1)



FUNCTIONAL BEAUTY

With Geberit Sigma cisterns not only style moves prewall construction you gain space for cosmetics





GEBERIT AQUACLEAN

Modern shower toilets are hardly to be recognised as such at first glance. Geberit offers diverse AquaClean WC models with a lot of features to choose from. If you do not want to remove the existing WC ceramic, there is the possibility to add an AquaClean seat as an enhancement solution.



ODOUR EXTRACTION UNIT

Unpleasant odours are absorbed at once in the odour extraction unit. An active carbon filter eliminates odours before they spread. It starts automatically as soon as you sit down.



WHIRLSPRAY SHOWER
TECHNOLOGY
The patented WhirlSpray
technology enables a particula
direct adn thourough cleaning.
The reason for this is a pulsatir
shower spray refined through
dynamic aeration.



DRYER

The dryer arm aligns itself automatically for optimum drying at the last position of the spray



HEATING THE WC SEAT





GEBERIT DUOFRESH

What is standard in kitchens should also be introduced to bathrooms. The Geberit DuoFresh module provides a slot for a ceramic honeycomb filter and an orientation light that is triggered by a motion sensor. The module is easily installed and can be equipped with almost any actuator plate from the Sigma range.



It's as simple as this: Just open the actuator plate at the side.



Insert the filter in the slot.



Close the actuator plate and enjoy the fresh air in your bathroom.



↑
Geberit Smyle WC ceramic, Geberit actuator
plate Sigma50 with DuoFresh module.

Geberit DuoFresh removes unpleasant odours right at the source. A ceramic comb filter purifies the air thouroughly and a fan conveys the cleaned air back into the room. An additional benefit offers a built-in LED orientation light.

Just below the actuator plate a soft glow will guide you the way to the WC at night.



ACCESSIBLE

The ceramic honeycomb filter can be easily accessed via the actuato plate.



VISIBL

An orientation light helps you at night to find your way.




EFFICIENT

The air is purified by the ceramic honeycomb filter.



QUIET

A quiet fan conveys the purified air back into the room.



GEBERIT SIGMA SPECIAL SOLUTIONS

EASILY

ACCESSIBLE

The Geberit installation elements offer solutions to almost any construction situation. In public areas, in healthcare, in hotels or even in private bathrooms the request for barrierfree applications can be covered with the Geberit Duofix element with a Sigma cistern and various WC ceramics with an extra long projection.





111.790.00.1 Geberit Duofix element with mounting plate for support handles.



Another special feature of the Geberit concealed cisterns is the tool-free maintenance.

OPTIONS WITH GEBERIT SIGMA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			



GEBERIT OMEGA CISTERNS

SMALL AND **POWERFUL**




FREEDOM OF PLACE

If you want to have a clean front view, Geberit
Omega is offering the solution. Geberit Omega
cisterns can be activated from the top.

SMALL ACTUATORS

Beautifully designed small, elegant actuator plates: Omega20, Omega30 and the surface-even Omega60. Available in different styles and high-end materials.



Omega20 black / bright chrome (art.no. 115.085.KM.1



Omega30 matt chrome / bright chrome (art.no. 115.080.KN.1



Omega60 white glass (art.no. 115.081.Sl.1)



GEBERIT OMEGA CISTERNS FOR LOW HEIGHTS

SOLUTION PROVIDER IN NARROW SPOTS

Geberit Omega opens up unexpected opportunities when it comes to the design of your bathroom. Having the freedom of choice to install a top or a front actuation, there are no borders anymore to your creativity in bathroom design and the implementation of your ideas. Bottle-necks such as installations under windows and roof-pitches are elegantly mastered.





THREE CISTERN HEIGHTS

The Geberit Omega concealed cistern can be installed at a height of 82 cm, 98 cm and 112 cm. No matter what installation height: the flush performance is outstanding. All the Omega cisterns come with a water-saving dual flush system.

FIT FOR ALMOST EVERY PREWALL

With a minimum depth of 12 to 14 cm for the front actuation (depending on the chosen element) and a minimum depth of 17 cm for the top actuation, the Geberit Omega concealed cistern fits into nearly any prewall. It can be connected to the water supply from the rear as well as from the side. Installing the cistern and mounting the actuator plate can both be completed without special tools.



TOP OR FRONT - THAT IS THE QUESTION

Depending on the construction situation, the actuator plate can be installed on the top or front of the cistern. Whatever your bathroom looks like, you have the choice. The Omega cisterns are designed in such a way that both options can be chosen freely.

TOOL-FREE MAINTENANCE

The Geberit Omega cisterns can be serviced without tools. This makes maintenance as easy as pie.

OPTIONS WITH GEBERIT OMEGA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			


 24

GEBERIT ALPHA CISTERNS


STRIKING SIMPLICITY

Geberit Alpha concealed cisterns are offering a reduced scope of options but are nonetheless standing for high quality and reliability. The cisterns can be installed in either brick walls or drywalls. For standard bathroom requirements the perfect match.


Geberit Alpha actuator plates come in five designs in four different finishes. They are all made of high quality plastic.



Alpha01 bright chrome (art.no. 115.035.21.1)



Alpha10 white alpine (art.no. 115.035.11.1)



Alpha15 matt chrome (art.no. 115.045.46.1)



Alpha30 bright chrome (art.no. 115.055.21.1)



Alpha50 black (art.no. 115.060.DW.1)



GEBERIT ALPHA CISTERNS


THE NEXT GENERATION

Geberit Alpha concealed cisterns cover all needs for all sorts of installation situations. Be it narrow walls, low heights or standard applications. The cisterns and frames have been improved and the application fields have been widened.



TWO CISTERN HEIGHTS

The Geberit Alpha concealed cistern can be installed at a height of 82 cm and 112 cm. All the Alpha cisterns come with a water-saving dual flush system.



TOP OR FRONT ACTUATION

For low heights there is the option of choosing top actuation.

OPTIONS WITH GEBERIT ALPHA CONCEALED CISTERNS:

	for solid wall	for drywall	GIS compatible	barrier-free solution	front actuation	top actuation	low-height	tool-free maintenace	odour extraction	AquaClean connection
Geberit Sigma	×	×	×	×	×			×	×	×
Geberit Omega	×	×	×		×	×	×	×		×
Geberit Alpha	×	×			×	×	×			













THE APPEARANCE IN FRONT OF THE WALL

THE PERFECT MATCH

GEBERIT SIGMA



Choose from a huge portfolio of Geberit WC and washbasin ceramics, perfectly aligned bathroom furniture designs, mirrors and other bathroom products that will help realising your own personal bathroom style.

A few suggestions to help you finding the perfect ceramic match for Geberit Sigma and Omega, that are suitable for almost any project type.





Geberit actuator plate Sigma60, Geberit Citterio WC













GEBERIT OMEGA





Geberit Alpha is a suitable solution for your project business and for price-sensitive building. Here a few suggestions to combine the matching ceramics.





GEBERIT ALPHA



Geberit actuator plate Alpha50, Geberit Smyle furniture, WC and washbasin ceramic, Geberit Option mirror, Geberit magnetic board with movable shelves, Geberit shelf with three hooks for towels




CONCEALED CISTERNS OVERVIEW

AT ONE GLANCE

Geberit concealed cisterns

- Available in various dimensions and suitable for any construction situation.
- All models are equipped with a high-end flush valve and a top silent fill valve, exceeding Sound Class 1 requirements.
- Easy maintenance at any time through a service opening.
- Exceptional spare part security for all function-maintaining components for 25 years.




12 CM CISTERN-THICKNESS

In the wall or in front of the wall. Flushing actuation from the front. Choose either Sigma, Omega or Alpha 12 cm.

8 CM CISTERN-THICKNESS

Solution for thin wall constructions or for space-saving installation in front of the wall, flush actuation from the front. Choose either Sigma or Alpha 8 cm.



LOW-HEIGHT SITUATIONS


82/98

Solution for low-height installation with element heights 82 cm, choose either Omega or Alpha. For a height of 98 cm go for Omega.

Whether it be under windows or sloping roofs, in a corner or on a free-standing wall, systems and products from Geberit give you practically unlimited possibilities.


Installations behind the wall lend elegance and increased space; part-height prewall installations offer additional storage possibilities.

SOLID WALL INSTALLATION



Geberit Kombifix installation elements are exclusively suitable for solid construction. They must be fastened in front of or inside a solid wall and then subsequently brick lined.

DRYWALL INSTALLATION



Geberit Duofix installation elements are suitable for all drywall construction situations with a drywall system. It is possible to create complete roomheight prewalls or partition walls.

GEBERIT SIGMA AT ONE GLANCE



















Article number	111.300.00.5	111.350.00.5	111.796.00.1	110.350.00.5 110.340.00.5*	110.792.00.1	109.300.00.5**	109.791.00.1**
Cistern thickness***	12 cm	17 cm	8 cm	12 cm	8 cm	12 cm	8 cm
Cistern height	112 cm	112 cm	114 cm	108 cm	109 cm	108 cm	119 cm
For solid construction	×	×	×	×	×	×	×
For drywall construction	×	×	×				
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×		
For top actuation							
With conduit pipe for Geberit AquaClean	×	×	×	×	×		
Tool-free maintenance	×	×	×	×	×	×	×
Barrier-free solution		×					


Dimensions














^{*} With leg supports

^{**} Can be cut to length

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

GEBERIT OMEGA AT ONE GLANCE






















Article number	111.060.00.1	111.030.00.1	111.003.00.1	110.020.00.1	110.011.00.1	110.001.00.1	109.060.00.1	109.050.00.1	109.043.00.1
Cistern thickness*	12 cm								
Cistern height	112 cm	98 cm	82 cm	106 cm	98 cm	82 cm	106 cm	98 cm	82 cm
For solid construction	×	×	Х	×	×	×	×	×	×
For drywall construction	×	×	×						
Wall-hung-ready (fixation for wall-hung ceramic included)	×	×	×	×	×	×			
For top actuation		×	×		×	×		×	×
With conduit pipe for Geberit AquaClean	×	×	×	×	×	×			
Tool-free maintenance	×	×	×	×	×	×	×	×	×
	-								


Barrier-free solution


Dimensions























 $^{{}^{\}star}\text{Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.}$

CONCEALED CISTERNS OVERVIEW

GEBERIT ALPHA

AT ONE GLANCE





















Article number	458.233.00.1	458.212.00.1	110.233.00.1 110.231.00.1*	109.212.00.1	110.175.00.1 110.174.00.1*	109.233.00.1**	109.212.00.1	109.175.00.1**
Cistern thickness***	12 cm	12 cm	12 cm	12 cm	8 cm	12 cm	12 cm	8 cm
Cistern height	112 cm	82 cm	106 cm	82 cm	109 cm	110 cm	82 cm	110 cm
For solid construction	х	х	х	х	х	х	х	х
For drywall construction	х	х						
Wall-hung-ready (fixation for wall-hung ceramic included)	х	х	х	х	х			
For top and front actuation		x		х			x	


Dimensions




















^{*} With leg supports

^{**} Can be cut to length

^{***} Cistern thickness does not equal installation depth. Depending on the installation the depth is varying.

Geberit International Sales AG CH-8640 Rapperswil Switzerland

sales@geberit.com

www.international.geberit.com